





C.H.I. Carriage House Overlay Series Rekindle the past.

A sense of history underlies our overlay series making them unforgettable. We started with durable high quality materials and blended in the traditional carriage house design. The result is a door you've always wanted.












C.H.I. Carriage House Overlay Series


Make an entrance.







Steel: 5300 / 5600 Wood: 5400 / 5700 Fiberglass: 5500 / 5800





DOOR DESIGNS SQUARED TOP 10 11 13 15 31 33 34 35 30 ARCHED TOP 13A 10A 11A 12A 14A 15A 30A 31A 33A WINDOW DESIGNS SINGLE ROW



4 piece Arched Stockton Stockton 2-2 piece Arched Stockton

C.H.I. Carriage House Overlay Series

Specifications.

Product	5300	5400	5500	5600	5700	5800
Section Joint	Tongue and groove sandwich.			Thermally-broken tongue and groove sandwich.		
Section Thickness	2-1/2"	2-3/4"	2-1/2"	2-1/2"	2-3/4"	2-1/2"
Section Material	Steel with wood grain textured polystyrene overlay accent boards.	Steel with wood tongue & groove face boards and wood overlay accent boards.	Steel with fiberglass beadboard face and wood grain textured polystyrene overlay accent boards.	Steel with wood grain textured polystyrene overlay accent boards.	Steel with wood tongue & groove face boards and wood overlay accent boards.	Steel with fiberglass beadboard face and wood grain textured polystyrene overlay accent boards.
Insulation	1-13/16" cfc [chlorofluorocarbon] free polystyrene.			1-7/8" foam injected cfc [chlorofluorocarbon] free urethane.		
R-value ¹	10.29	10.78	10.67	17.54	18.03	17.92
Options						
Colors ²	White, almond ³ , sandstone ³ .	n/a	White, almond, sandstone.	White, almond ³ , sandstone ³ .	n/a	White, almond, sandstone.
Wood ⁴	n/a	Cedar, mahogany.	n/a	n/a	Cedar, mahogany.	n/a
Glass ⁵	Plain ⁶ , tinted, obscure, glue chip, seeded			Plain ⁶ , tinted, obscure, glue chip, seeded		
Window Designs	Stockton, arched sto	ckton, madison, arched	d madison	Stockton, arched stockton, madison, arched madison		
Warranty						
Sections	3-years.	1-year.	3-years.	3-years.	1-year.	3-years.
Hardware	6-years.			6-years.		
Springs	3-years for doors up to 8' high.			3-years for doors up to 8' high.		





C.H.I. Overhead Doors | 1485 Sunrise Drive | Arthur, IL 61911 | USA chiohd.com

1 R-value testing is in accordance with ASTM C518 standards. 2 Refer to your local C.H.I. dealer for exact color match. 3 Available in the 5300 and 5600 series with white wood grain textured polystyrene overlay accent boards for a two-tone design. 4 Wood types used are Western Red Cedar and Fijian Mahogany. 5 All glass is either transparent or semi-transparent and available as non-insulated or insulated. 6 Also available as 1/8" polycarbonate.

All information presented is based on the specifications and features available at the time of printing and is subject to change without notice.